


Catalog No.: 2 PINS CHINESE PLUG (国标两扁插)

Standard : GB 1002
Rated Current : 6A .10A/250V
Applications : For Class II Equipments

适用国家或地区 :

Available with Cords:

- 60227 IEC 52 (RVV) 300/300V 2×0.5mm²
- 60227 IEC 52 (RVV) 300/300V 2×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 2×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 2×1.0mm²
- 60227 IEC 53 (YZ) 300/500V 2×0.75mm²
- 60245 IEC 53 (YZ) 300/500V 2×1.0mm²
- 60245 IEC 57 (YZW) 300/500V 2×0.75mm²
- 60245 IEC 57 (YZW) 300/500V 2×1.0mm²



Catalog No.: 3 PINS CHINESE PLUG (国标烟斗插)

Standard : GB 1002
Rated Current : 10A/250V
Applications : For Class II Equipments

适用国家或地区 :

Available with Cords:

- 60227 IEC 52 (RVV) 300/300V 3×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 3×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 3×1.0mm²
- 60227 IEC 53 (RVV) 300/500V 3×1.5mm²
- 60227 IEC 53 (YZ) 300/500V 3×0.75mm²
- 60245 IEC 53 (YZ) 300/500V 3×1.0mm²
- 60245 IEC 57 (YZW) 300/500V 3×0.75mm²
- 60245 IEC 57 (YZW) 300/500V 3×1.0mm²
- 60245 IEC 57 (YZW) 300/500V 3×1.5mm²
- 60245 IEC 66 (YCW) 300/500V 3×1.5mm²



Catalog No.: 3 PINS CHINESE PLUG (国标三角插)

Standard : GB 1002
Rated Current : 6A 、 10A/250V
Applications : For Class II Equipments

适用国家或地区 :

Available with Cords:

- 60227 IEC 52 (RVV) 300/300V 3×0.5mm²
- 60227 IEC 52 (RVV) 300/300V 3×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 3×0.75mm²
- 60227 IEC 53 (RVV) 300/500V 3×1.0mm²
- 60227 IEC 53 (YZ) 300/500V 3×0.75mm²
- 60245 IEC 53 (YZ) 300/500V 3×1.0mm²
- 60245 IEC 57 (YZW) 300/500V 3×0.75mm²
- 60245 IEC 57 (YZW) 300/500V 3×1.0mm²



Catalog No.: 3 PINS CHINESE PLUG(国标烟斗插)

Standard : GB 1002
Rated Current : 16/250V
Applications : For Class II Equipments

适用国家或地区 :


Available with Cords:

- 60227 IEC 53 (RVV) 300/500V 3×1.5mm²
- 60227 IEC 53 (RVV) 300/500V 3×2.5mm²
- 60245 IEC 57 (YZW) 300/500V 3×1.5mm²
- 60245 IEC 57 (YZW) 300/500V 3×2.5mm²
- 60245 IEC 66 (YCW) 300/500V 3×1.5mm²
- 60245 IEC 66 (YCW) 300/500V 3×2.5mm²



Catalog No.: 3 POLES CHINESE CONNECTOR (八字尾)

Standard : GB 17465
Rated Current : 2.5A/250V
Applications : For Class II Equipments

适用国家或地区 : 

Available with Cords:

60227 IEC RVV52 300/300V 2×0.5mm²

60227 IEC RVV52 300/300V 2×0.75mm²

60227 IEC RVV53 300/500V 2×0.75mm²


C
H
I
N
A

T
Y
P
E
S



Catalog No.: 3 POLES CHINESE CONNECTOR (品字尾)

Standard : GB 17465
Rated Current : 10A/250V
Applications : For Class I Equipments

适用国家或地区 : 

Available with Cords:

60227 IEC RVV53 300/500V 3×0.75mm²

60227 IEC RVV53 300/500V 3×1.0mm²

60245 IEC 53 (YZ) 300/500V 3×0.75mm²

60245 IEC 53 (YZ) 300/500V 3×1.0mm²

60245 IEC 57 (YZW) 300/500V 3×1.0mm²

60245 IEC 57 (YZW) 300/500V 3×1.0mm²




C
H
I
N
A

T
Y
P
E
S



Catalog No.: 3 POLES CHINESE CONNECTOR (梅花尾)


Standard : GB 17465
Rated Current : 2.5A/250V
Applications : For Class I Equipments

适用国家或地区 : 

Available with Cords:


60227 IEC RVV52 300/300V 3×0.75mm²

60227 IEC RVV53 300/500V 3×0.75mm²



Catalog No.: 3 POLES CHINESE CONNECTOR (品字尾)

Standard : GB 17465
Rated Current : 10/250V
Applications : For Class I Equipments

适用国家或地区 : 

Available with Cords:

60227 IEC RVV53 300/500V 3×0.75mm²

60227 IEC RVV53 300/500V 3×1.0mm²

60245 IEC 53 (YZ) 300/500V 3×0.75mm²

60245 IEC 53 (YZ) 300/500V 3×1.0mm²

60245 IEC 57 (YZW) 300/500V 3×1.0mm²

60245 IEC 57 (YZW) 300/500V 3×1.0mm²



Catalog No.: 2 PINS EURO PLUG (欧洲两圆插)

Standard : EN 50075
Rated Current : 2.5A/250V
Applications : For Class II Equipments

适用国家或地区 : Available with Cords:

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/500V 2×0.75mm²

H03VV-F 300/300V 2×0.75mm²

H05VV-F 300/500V 2×0.75mm²

E
U
R
O
P
E

T
Y
P
E
S



Catalog No.: 3-POLE EURO PLUG (欧式烟斗插)

Standard : IEC 60884-1
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 : Available with Cords:

H03VV-F 300/300V 3G0.5mm² Max 2M

H03VV-F 300/300V 3G0.75mm²

H05VV-F 300/500V 3G0.75mm²

H05VV-F 300/500V 3G1.0mm²

H05VV-F 300/500V 3G1.5mm²

H05RR-F 300/500V 3G0.75mm²

H05RR-F 300/500V 3G1.0mm²

H05RN-F 300/500V 3G0.75mm²

H05RN-F 300/500V 3G1.0mm²


H03RT-H 300/500V 3G0.75mm²

H03RT-H 300/500V 3G1.0mm²



E
U
R
O
P
E

T
Y
P
E
S



Catalog No.: 2 PINS EURO PLUG (欧式电工插头)

Standard : IEC 60884-1
Rated Current : 16A/250V
Applications : For Class II Equipments

适用国家或地区 : Available with Cords:

H03VV-F 300/300V 2×0.75mm²

H05VV-F 300/500V 3×0.75mm²


H05VV-F 300/500V 2×1.0mm²

H05RN-F 300/500V 2×0.75mm²

H05RN-F 300/500V 2×1.0mm²

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/300V 2×0.75mm²



Catalog No.: 3-POLE EURO PLUG (欧式直头)

Standard : IEC 60884-1
Rated Current : 16A/250V
Applications : For Class II Equipments

适用国家或地区 : Available with Cords:

H03VV-F 300/300V 3×0.75mm²

H05VV-F 300/500V 3×0.75mm²

H05VV-F 300/500V 3×1.0mm²


H05VV-F 300/500V 3×1.5mm²

H05RR-F 300/500V 3×0.75mm²

H05RR-F 300/500V 3×1.0mm²



H05RN-F 300/500V 3×0.75mm²

H05RN-F 300/500V 3×1.0mm²



Catalog No.: 2 PINS AMERICAN PLUG(美式两插)

Standard : NEMA 1-15P
UL-817
Rated Current : 10A、13A、15A/125V


适用国家或地区 :  

Available with Cords:

SPT-1	18AWG×2C	10A/125V
SPT-1W	18AWG×2C	10A/125V
SPT-2	18AWG×2C	10A/125V
SPT-2W	18AWG×2C	10A/125V
NISPT-2	18AWG×2C	10A/125V
HPN	18AWG×2C	10A/125V
SPT-2	16AWG×2C	13A/125V
SPT-2W	16AWG×2C	13A/125V
NSPT-2	16AWG×2C	13A/125V
HPN	16AWG×2C	15A/125V



A
M
E
R
I
C
A

T
Y
P
E
S



Catalog No.: 3 PINS AMERICAN PLUG (美式三插)

Standard : NEMA 5-15P
UL-817
Rated Current : 10A、13A、15A/125V

适用国家或地区 :  

Available with Cords:

SPT-2	18AWG×3C	10A/125V
SVT	18AWG×3C	10A/125V
SJT	18AWG×3C	10A/125V
SJTW	18AWG×3C	10A/125V
HPN	18AWG×3C	10A/125V
SJT	16AWG×3C	13A/125V
SJTW	16AWG×3C	13A/125V
SPT-2	16AWG×3C	13A/125V
HPN	16AWG×3C	15A/125V
SJT	14AWG×3C	15A/125V
SJTW	14AWG×3C	15A/125V





A
M
E
R
I
C
A

T
Y
P
E
S



Catalog No.: 2 PINS AMERICAN PLUG (美式两插头)

Standard : NEMA 1-15P
UL-817
Rated Current : 10A、13A、15A/125V

适用国家或地区 :  



Available with Cords:

SJTW	18AWG×2C	2.5A/125V
SJTOW	18AWG×2C	2.5A/125V
SJTW	16AWG×2C	5A/125V
SJTOW	16AWG×2C	5A/125V
SJTW	14AWG×2C	5A/125V
SJTOW	14AWG×2C	5A/125V



Catalog No.: ALCI PLUG(美式漏电保护插头)

Standard : P16D
UL943B
Rated Current : 5.5A、7A、8A、10A、13A、15A

适用国家或地区 :  



Available with Cords:

SPT-2	18AWG×2C	10A/120~125V	60Hz
SJT	18AWG×2C	10A/120~125V	60Hz
HPN	18AWG×2C	10A/120~125V	60Hz
SVT	18AWG×2C	10A/120~125V	60Hz
SPT-2	16AWG×2C	13A/120~125V	60Hz
NISPT-2	16AWG×2C	13A/120~125V	60Hz
SJT	16AWG×2C	13A/120~125V	60Hz
HPN	16AWG×2C	15A/120~125V	60Hz
SVT	16AWG×2C	13A/120~125V	60Hz
AWM 20771	16AWG×2C	13A/120~125V	60Hz
AWM 20856	15AWG×2C	15A/120~125V	60Hz



Catalog No.: 2 POLES AMERICAN CONNECTOR (八字尾)

**Standard : IEC 320 C7
UL-817**

适用国家或地区 :  

Available with Cords:

SPT-1	18AWG/2C	7A 125V
SPT-2	18AWG/2C	7A 125V
NISPT-1	18AWG/2C	7A 125V
NISPT-2	18AWG/2C	7A 125V



Catalog No.: 3 POLES AMERICAN CONNECTOR (品字尾)

**Standard : IEC 320 C13
UL-817**

适用国家或地区 :  



Available with Cords:

SVT	18AWG/3C	10A 125V
SJT	18AWG/3C	10A 125V
SJT	16AWG/3C	13A 125V



Catalog No.: 3 POLES AMERICAN CONNECTOR (梅花尾)

**Standard : IEC 320 C5
UL-817**

适用国家或地区 :  



Available with Cords:

SPT-1	18AWG/3C	10A 125V
SPT-2	18AWG/3C	10A 125V
SVT	18AWG/3C	10A 125V
SJT	18AWG/3C	10A 125V



Catalog No.: 3 POLES AMERICAN CONNECTOR(三插母座)

**Standard: NEMA 5-15P
CSA-C22.2/UL-817**

适用国家或地区 :  

Available with Cords:

SVT	18AWG/3C	10A 125V
SVT	16AWG/3C	13A 125V
SVT	14AWG/3C	15A 125V
SJT	18AWG/3C	10A 125V
SJT	16AWG/3C	13A 125V
SJT	14AWG/3C	15A 125V
SJTW	18AWG/3C	10A 125V
SJTW	16AWG/3C	13A 125V
SJTW	14AWG/3C	15A 125V



Catalog No.: 2 PINS KOREAN PLUG(韩国两圆插)

Standard : KS C 8305 & K60884-1
Rated Current : 2.5A/250V
Applications : For Class II Equipments

适用国家或地区 : 

Available with Cords:

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/500V 2×0.75mm²

H03VV-F 300/300V 2×0.75mm²

H05VV-F 300/500V 2×0.75mm²

K
O
R
E
A

T
Y
P
E
S



Catalog No.: 3-POLE KOREAN PLUG (韩国烟斗插)

Standard : KS C 8305 & K60884-1
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 : 

Available with Cords:

H03VV-F 300/300V 3G0.5mm² Max 2M

H03VV-F 300/300V 3G0.75mm²

H05VV-F 300/500V 3G0.75mm²

H05VV-F 300/500V 3G1.0mm²

H05VV-F 300/500V 3G1.5mm²

H05RR-F 300/500V 3G0.75mm²

H05RR-F 300/500V 3G1.0mm²

H05RR-F 300/500V 3G1.5mm²

H05RN-F 300/500V 3G0.75mm²

H05RN-H 300/500V 3G1.0mm²



K
O
R
E
A

T
Y
P
E
S



Catalog No.: 2 PINS KOREAN PLUG(韩国电工插头)

Standard : KS C 8305 & K60884-1
Rated Current : 16A/250V
Applications : For Class II Equipments

适用国家或地区 : 

Available with Cords:

H03VV-F 300/300V 2×0.75mm²


H05VV-F 300/500V 2×0.75mm²

H05RN-F 300/500V 2×0.75mm²

H05RN-F 300/500V 2×1.0mm²

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/300V 2×0.75mm²



Catalog No.: 3-POLE ISRAELI PLUG (以色列插头)

Standard : SI 32
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 :



Available with Cords:

H05VV-F 300/500V 3G0.75mm²

H05VV-F 300/500V 3G1.0mm²

H05VV-F 300/500V 3G1.5mm²


H05RN-F 300/500V 3G0.75mm²

H05RN-F 300/500V 3G1.0mm²

H05RR-F 300/500V 3G0.75mm²

H05RR-F 300/500V 3G1.0mm²

H05RR-F 300/500V 3G1.5mm²



Catalog No.: 2 PINS ITALY PLUG (意大利两插)

Standard : CEI 23-50
Rated Current : 10A/250V
Applications : For Class II Equipments

适用国家或地区 :

Available with Cords:

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/500V 2×0.75mm²

H03VV-F 300/300V 2×0.75mm²


H05VV-F 300/500V 2×0.75mm²

H05VV-F 300/500V 2×1.0mm²

H05RN-F 300/500V 2×1.0mm²

I
T
A
L
I
A
N

T
Y
P
E
S



Catalog No.: 3 PINS ITALY PLUG (意大利三插)

Standard : CEI 23-50
Rated Current : 10A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:


H03VV-F 300/300V 3G0.75mm²

H05VV-F 300/500V 3G0.75mm²

H05VV-F 300/500V 3G1.0mm²

H05RT-F 300/500V 3G0.75mm²

H05RT-F 300/500V 3G1.0mm²



Catalog No.: 2 PINS SWISS PLUG (瑞士两插)

Standard : SEV 1011
Rated Current : 10A/250V
Applications : For Class II Equipments

适用国家或地区 :

Available with Cords:

H03VV-F 300/300V 2×0.5mm² Max 2M

H03VV-F 300/300V 2×0.75mm²

H05VV-F 300/500V 2×0.75mm²

H05VV-F 300/500V 2×1.0mm²

H05VV-F 300/500V 2×1.5mm²

H05RR-F 300/500V 2×0.75mm²

H05RR-F 300/500V 2×1.0mm²

H05RN-F 300/500V 2×0.75mm²

H05RN-F 300/500V 2×1.0mm²

H03RT-H 300/500V 2×0.75mm²

H03RT-H 300/500V 2×1.0mm²

H03RT-H 300/500V 2×1.5mm²



Catalog No.: 3 PINS SWISS PLUG (瑞士三插)

Standard : SEV 1011
Rated Current : 10A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:

H05VV-F 300/500V 3G0.75mm²

H05VV-F 300/500V 3G1.0mm²

H05VV-F 300/500V 3G1.5mm²

H05RN-F 300/500V 3G0.75mm²

H05RN-F 300/500V 3G1.0mm²


H05RR-F 300/500V 3G0.75mm²

H05RR-F 300/500V 3G1.0mm²

H05RR-F 300/500V 3G1.5mm²


S
W
I
S
S

Y
P
E
S



Catalog No.: 2 PINS AUSTRALIAN PLUG (澳洲两插)


Standard : AS 3112
Rated Current : 7.5A .10A/250V
Applications : For Class II Equipments

适用国家或地区 : 

Available with Cords:


- H03VVH2-F 300/300V 2×0.5mm²
- H03VV-F 300/300V 2×0.5mm²
- H05VVH2-F 300/500V 2×0.75mm²
- H05VVH2-F 300/500V 2×1.0mm²
- H05VV-F 300/500V 2×0.75mm²
- H05VV-F 300/500V 2×1.0mm²
- H05RR-F 300/500V 2×0.75mm²
- H05RR-F 300/500V 2×1.0mm²
- H05RN-F 300/500V 2×0.75mm²
- H05RN-F 300/500V 2×1.0mm²

A
U
S
T
R
A
L
I
A
T
Y
P
E
S



Catalog No.: 2 PINS BRAZILIAN PLUG (巴西两插)

Standard : IEC 60884-1 & NBR 14136
Rated Current : 2.5A .10A/250V
Applications : For Class II Equipments

适用国家或地区 : 

Available with Cords:

- H03VVH2-F 300/300V 2×0.5mm²
- H03VV-F 300/300V 2×0.75mm²
- H05VVH2-F 300/500V 2×0.75mm²
- H05VV-F 300/500V 2×1.0mm²
- H05RR-F 300/500V 2×0.75mm²
- H05RR-F 300/500V 2×1.0mm²
- H05RN-F 300/500V 2×0.75mm²
- H05RN-F 300/500V 2×1.0mm²




B
R
A
Z
I
L
T
Y
P
E
S




Catalog No.: 3 PINS AUSTRALIAN PLUG (澳洲三插)

Standard : AS 3112
Rated Current : 10A/250V
Applications : For Class I&II Equipments

适用国家或地区 : 

Available with Cords:

- H03VV-F 300/300V 3G0.75mm²
- H05VV-F 300/500V 3G0.75mm²
- H05VV-F 300/500V 3G1.0mm²
- H05RR-F 300/500V 3G0.75mm²
- H05RR-F 300/500V 3G1.0mm²
- H05RN-F 300/500V 3G0.75mm²
- H05RN-F 300/500V 3G1.0mm²



Catalog No.: 3 PINS BRAZILIAN PLUG (巴西三插)

Standard : IEC 60884-1 & NBR 14136
Rated Current : 10A/250V
Applications : For Class I Equipments

适用国家或地区 : 

Available with Cords:

- H05VV-F 300/500V 3G0.75mm²
- H05VV-F 300/500V 3G1.0mm²
- H05VV-F 300/500V 3G1.5mm²
- H05RN-F 300/500V 3G0.75mm²
- H05RN-F 300/500V 3G1.0mm²
- H05RR-F 300/500V 3G0.75mm²
- H05RR-F 300/500V 3G1.0mm²
- H05RR-F 300/500V 3G1.5mm²



U
K
&
S
I
N
G
A
P
O
R
E
&
S
A
U
D
I
A
R
A
B
I
A
T
Y
P
E
S



Catalon No.: 3 PINS FUSED BRITISH PLUG (英式插头)

Standard : BS 1363/A 13A Plug
 Rated Current : 3A .5A .13A/250V
 Applications : For Class I&II Equipments

适用国家或地区 :   

Available with Cords:

- H03VVH2-F 300/300V 2×0.75mm²
- H03VV-F 300/300V 2×0.75mm²
- H05VVH2-F 300/500V 2×0.75mm²
- H05VV-F 300/500V 2×0.75~1.0mm²
- H05VV-F 300/500V 3G0.75~1.5mm²
- H05RR-F 300/500V 2×0.75~1.0mm²
- H05RN-F 300/500V 2×0.75~1.0mm²
- H05RR-F 300/500V 3G0.75~1.5mm²
- H05RN-F 300/500V 3G0.75~1.0mm²
- H03RT-H 300/500V 3G0.75~1.0mm²



Catalon No.: 3 PINS FUSED BRITISH PLUG (英式插头)

Standard : BS 1363/A 13A Plug
 Rated Current : 3A .5A .13A/250V
 Applications : For Class I&II Equipments

适用国家或地区 :   

Available with Cords:

- H03VVH2-F 300/300V 2×0.5~0.75mm²
- H03VV-F 300/300V 2×0.5~0.75mm²
- H05VVH2-F 300/300V 2×0.75mm²
- H05VV-F 300/500V 3G0.75~1.5mm²
- H05RR-F 300/500V 3G0.75~1.5mm²
- H05RN-F 300/500V 3G0.75~1.0mm²



Catalog No.: 2 PINS ARGENTINES PLUG (阿根廷两插)

Standard : NORMA IRAM 2063
 Rated Current : 10A/250V
 Applications : For Class II Equipments

适用国家或地区 :  

Available with Cords:

- H03VVH2-F 300/300V 2×0.75mm²
- H03VV-F 300/300V 2×0.75mm²
- H05VVH2-F 300/500V 2×0.75mm²
- H05VV-F 300/500V 2×0.75mm²
- H05VV-F 300/500V 2×1.0mm²



Catalog No.: 3 PINS ARGENTINES PLUG (阿根廷三插)

Standard : NORMA IRAM 2073
 Rated Current : 10A/250V
 Applications : For Class I Equipments

适用国家或地区 :  

Available with Cords:

- H05VV-F 300/500V 3G0.75mm²
- H05VV-F 300/500V 3G1.0mm²
- H05VV-F 300/500V 3G1.5mm²
- H03RT-F 300/500V 3G0.75mm²
- H03RT-F 300/500V 3G0.75mm²



A
R
G
E
N
T
I
A
N
T
Y
P
E
S


Catalog No.: 2 POLES CONNECTOR (八字尾)
Standard : EN 60320 C7
Rated Current : 2.5A/250V
Applications : For Class II Equipments
适用国家或地区 :
Available with Cords:
H03VVH2-F 300/300V 2×0.75mm²
H05VVH2-F 300/500V 2×0.75mm²

Catalog No.: 3 POLES CONNECTOR (梅花尾)
Standard : EN 60320 C5
Rated Current : 2.5A/250V
Applications : For Class I Equipments
适用国家或地区 :
Available with Cords:
H03VV-F 300/300V 3G0.75mm²
H05VV-F 300/300V 3G0.75mm²

Catalog No.: 3 POLES CONNECTOR (品字尾母座)
Standard : EN 60320 C13
Rated Current : 10A/250V
Applications : For Class I Equipments
适用国家或地区 :
Available with Cords:
H05VV-F 300/500V 3G0.75mm² (MAX.2M)
H05VV-F 300/500V 3G1.0mm²
WW05VAS-F 300/500V 3G1.0mm²

Catalog No.: 3 POLES CONNECTOR (品字尾公头)
Standard : EN 60320 C14
Rated Current : 10A/250V
Applications : For Class I Equipments
适用国家或地区 :
Available with Cords:
H05VV-F 300/500V 3G0.75mm² (MAX.2M)
H05VV-F 300/500V 3G1.0mm²
SVT 18AWG/3C
SJT 18AWG/3C




Catalog No.: SOUTH AFRICA PLUG (小南非插头)

Standard : SABS 164-1:2007
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:

- H03VVH2-F 300/300V 2×0.5~0.75mm²
- H03VV-F 300/300V 2×0.75mm²
- H05VVH2-F 300/300V 2×0.75mm²
- H05VV-F 300/500V 2×0.75~1.0mm²
- H03VV-F 300/300V 3G0.5~0.75mm²
- H05VV-F 300/500V 3G0.75~1.0mm²
- H05RR-F 300/500V 2×0.75~1.0mm²
- H05RN-F 300/500V 2×0.75~1.0mm²
- H05RR-F 300/500V 3G0.75~1.0mm²
- H05RN-F 300/500V 3G0.75~1.0mm²



Catalog No.: THAILAND PLUG (泰国插头)

Standard : TIS 166-2549
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:

- VCT-G 3G0.75mm²
- VCT-G 3G1.0mm²
- VCT-G 3G1.5mm²
- VCT-G 3G2.5mm²



Catalog No.: SOUTH AFRICA PLUG (大南非插头)

Standard : SABS 164-1:2007
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:

- H05VVH2-F 300/300V 2×0.75mm²
- H05VV-F 300/500V 2×0.75~1.5mm²
- H03VV-F 300/300V 3G0.75mm²
- H05VV-F 300/500V 3G0.75~1.5mm²
- H05RR-F 300/500V 2×0.75~1.5mm²
- H05RN-F 300/500V 2×0.75~1.0mm²
- H05RR-F 300/500V 3G0.75~1.5mm²
- H05RN-F 300/500V 3G0.75~1.0mm²



Catalon No.:3 PINS CHINESE PLUG (漏电保护插头)

Standard : GB/T20044-2012
Rated Current : 16A/250V
Applications : For Class I Equipments

适用国家或地区 :

Available with Cords:

- 60245 57 (YZW) 300/500V 3×1.5mm²
- 60245 57 (YZW) 300/500V 3×2.5mm²
- 60245 66 (YZW) 300/500V 3×1.5mm²
- 60245 66 (YZW) 300/500V 3×2.5mm²


Catalog No.: (欧洲双圆插母座)

Standard : EN 60320
 Rated Current : 2.5A/250V
 Applications : For Class II Equipments
 适用国家或地区:

Available with Cords:

H03VVH2-F 300/300V 2×0.75mm²

H05VVH2-F 300/500V 2×0.75mm²


Catalog No.: 5521/5525 DC母座

Standard : UL-817
 Rated Current : 7A、10A、13A/125V
 认证标准:

Available with Cords:

2464 22AWG×2C 7A/125V
 2464 20AWG×2C 7A/125V
 2464 18AWG×2C 10A/125V
 2464 16AWG×2C 13A/125V
 1185 22AWG×2C 7A/125V
 1185 20AWG×2C 7A/125V
 2464 18AWG×2C 10A/125V
 2464 16AWG×2C 13A/125V


Catalog No.: 3 POLES CONNECTOR (品字尾)

Standard : EN 60320 C19
 Rated Current : 10A、13A、15A、16A/125~250V
 Applications : For Class I Equipments
 适用国家或地区:

Available with Cords:

H05VV-F 300/500V 3G1.0mm²
 H05VV-F 300/500V 3G1.5mm²
 H05VV-F 300/500V 3G2.5mm²
 53 (RVV) 300/500V 3G1.0mm²
 53 (RVV) 300/500V 3G1.5mm²
 53 (RVV) 300/500V 3G2.5mm²
 SJT 16AWG/3C
 SJT 14AWG/3C


Catalog No.: 6.35音频头

Standard : UL-817
 Rated Current : 7A、10A、13A/125V
 认证标准:

Available with Cords:

2464 22AWG×3C 10A/125V

 2464 20AWG×3C 10A/125V

 2464 18AWG×3C 10A/125V
 2464 16AWG×3C 13A/125V



Catalog No.: Plug(防水插母头)


Standard : UL-817

Rated Current : 10/13/15A/125 ~ 250V

适用国家或地区 :  

Available with Cords:

- 2464 20AWG×3C 10A/125 ~ 250V 60Hz
- 2464 18AWG×3C 10A/125 ~ 250V 60Hz
- 2464 16AWG×3C 13A/125 ~ 250V 60Hz
- SVT 20AWG×3C 10A/125 ~ 250V 60Hz
- SVT 18AWG×3C 10A/125 ~ 250V 60Hz
- SVT 16AWG×3C 13A/125 ~ 250V 60Hz
- SJT 20AWG×3C 10A/125 ~ 250V 60Hz
- SJT 18AWG×3C 10A/125 ~ 250V 60Hz
- SJT 16AWG×3C 13A/125 ~ 250V 60Hz
- SJOW 18AWG×3C 10A/125 ~ 250V 60Hz
- SJOW 16AWG×3C 13A/125 ~ 250V 60Hz



Catalog No.: 317线上开关 (脚踏开关)

Flame retardant grade : UL 94V-2

Rated Current : 2 ⊗ 2A/250V 、 3A/125V

认证标准 :    

Available with Cords:

- SPT-2 18AWG×2C
- 2468 18AWG-24AWG
- 2464 18AWG-24AWG
- H03VVH2-F 2×0.75mm²
- H03VV-F 3G0.75mm²
- 52RVV 2×0.75mm²
- 52RVV 3×0.75mm²



Catalog No.: Plug(防水插公头)



Standard : UL-817

Rated Current : 10/13/15A/125 ~ 250V

适用国家或地区 :  

Available with Cords:

- 2464 20AWG×3C 10A/125 ~ 250V 60Hz
- 2464 18AWG×3C 10A/125 ~ 250V 60Hz
- 2464 16AWG×3C 13A/125 ~ 250V 60Hz
- SVT 20AWG×3C 10A/125 ~ 250V 60Hz
- SVT 18AWG×3C 10A/125 ~ 250V 60Hz
- SVT 16AWG×3C 13A/125 ~ 250V 60Hz
- SJT 20AWG×3C 10A/125 ~ 250V 60Hz
- SJT 18AWG×3C 10A/125 ~ 250V 60Hz
- SJT 16AWG×3C 13A/125 ~ 250V 60Hz
- SJOW 18AWG×3C 10A/125 ~ 250V 60Hz
- SJOW 16AWG×3C 13A/125 ~ 250V 60Hz



Catalog No.: 一进二出按钮开关 (笑脸开关)

Flame retardant grade : UL 94V-2

Rated Current : 3 ⊗ 1A/250V

获得认证 :   

Available with Cords:

- 2464 22AWG×2C
- 2464 20AWG×2C
- 2464 18AWG×2C
- 2464 18AWG×2C
- 2464 16AWG×2C
- SVT 20AWG×2C
- SVT 20AWG×3C
- SVT 18AWG×3C
- H03VVH2-F 2×0.75mm²
- H05VVH2-F 2×0.75mm²
- H03VV-F 3G0.75mm²



Catalog No.: Cigar Head(雪茄头)


Standard : UL-817

Rated Current : 5A, 10A, 13A, 15A/125 ~ 250V

认证标准:  

Available with Cords:

SPT-1 20AWG×2C 5A/125~250V 60Hz
 2464 20AWG×2C 5A/125~125V 60Hz
 2468 20AWG×2C 5A/125~125V 60Hz
 SPT-1 18AWG×2C 10A/125~125V 60Hz
 SPT-2 18AWG×2C 10A/125~125V 60Hz
 SJT 18AWG×2C 10A/125~125V 60Hz
 HPN 18AWG×2C 10A/125~125V 60Hz
 2464 18AWG×2C 10A/125~125V 60Hz
 2468 18AWG×2C 10A/125~125V 60Hz
 SPT-2 16AWG×2C 13A/125~125V 60Hz
 SJT 16AWG×2C 13A/125~125V 60Hz
 HPN 16AWG×2C 15A/125~125V 60Hz
 2464 16AWG×2C 13A/125~125V 60Hz
 2468 16AWG×2C 13A/125~125V 60Hz



Catalog No.: 2 POLES CONNECTOR(B字尾公插)

Standard : EN 60320 C8


Rated Current : 2.5A/250V

Applications : For Class II Equipments

认证标准:  

Available with Cords:

52 (RVV) 300/300V 2×0.75mm²
 53 (RVV) 300/500V 2×0.75mm²
 H03VVH2-F 300/300V 2×0.75mm²
 H05VVH2-F 300/500V 2×0.75mm²



Catalog No.: 3 PINS SWISS PLUG (瑞士三插)

Standard : EN 60320-1:2001+A1:2007

EN 55032:2012+AC: 2013


EN 61000-4-2:2014

Rated Current : 10A/250V

适用国家或地区: 

Available with Cords:

H05VV-F 300/500V 3G1.5mm²
 H05RR-F 300/500V 3G1.5mm²
 H05RN-F 300/500V 3G1.5mm²
 H05RR-F 450/750V 3G1.5mm²
 H05RN-F 450/750V 3G1.5mm²



Catalog No.: 2 POLES CONNECTOR(B字尾母插)

Standard : EN 60320 C7

Rated Current : 2.5A/250V

Applications : For Class II Equipments

认证标准:  

Available with Cords:

52 (RVV) 300/300V 2×0.75mm²
 53 (RVV) 300/500V 2×0.75mm²
 H03VVH2-F 300/300V 2×0.75mm²
 H05VVH2-F 300/500V 2×0.75mm²

**Catalog No.: Pendant Lamp Holder(吊线灯头)**

Rated Current : 6A 、 10A/120~250V

Plug Material : E27

Insulating Materials : PVC 、 Rubber 、 TPE

Rated Temperature : -45°C--105°C

purpose: Indoor and outdoor lighting

Available with Cords:

H05RR-F 2×0.75mm²H05RR-F 2×1.0mm²H05RR-F 2×1.5mm²57 (YZW) 2×0.75mm²57 (YZW) 2×1.0mm²57 (YZW) 2×1.5mm²

SJTW 18AWG/2C


SJTW 16AWG/2C

SJOW 18AWG/2C

SJOW 16AWG/2C

SVE 18AWG/2C

SVE 16AWG/2C

**Catalog No.: 5521/5525DC头、5521/5525音叉+磁环**

Standard : UL-817

Rated Current : 7A、 10A、 13A/125V

认证标准:  US

Available with Cords:

2464 22AWG×2C 7A/125V

2464 20AWG×2C 7A/125V

2464 18AWG×2C 10A/125V

2464 16AWG×2C 13A/125V

1185 22AWG×1C+S 7A/125V

1185 20AWG×1C+S 7A/125V

1185 18AWG×1C+S 10A/125V

1185 16AWG×1C+S 13A/125V

**Catalog No.: Lamp String(灯串线)**

Rated Current : 6A 、 10A/120~250V

Plug Material : E27

Insulating Materials : PVC 、 Rubber 、 TPE

Rated Temperature : -45°C--105°C

purpose: Indoor and outdoor lighting

Available with Cords:

H05RR-F 2×0.75mm²H05RR-F 2×1.0mm²H05RR-F 2×1.5mm²57 (YZW) 2×0.75mm²57 (YZW) 2×1.0mm²57 (YZW) 2×1.5mm²

SJTW 18AWG/2C

SJTW 16AWG/2C

SJOW 18AWG/2C

SJOW 16AWG/2C


SVE 18AWG/2C

SVE 16AWG/2C

**Catalog No.: 5521/5525DC头、5521/5525音叉**

Standard : UL-817

Rated Current : 7A、 10A、 13A/125V

认证标准:  US

Available with Cords:

2464 22AWG×2C 7A/125V

2464 20AWG×2C 7A/125V

2464 18AWG×2C 10A/125V

2464 16AWG×2C 13A/125V

1185 22AWG×1C+S 7A/125V

1185 20AWG×1C+S 7A/125V

1185 18AWG×1C+S 10A/125V

1185 16AWG×1C+S 13A/125V



Catalog No.: GST 18i3 Plug (威琅连接器母座)

Rated Current : 20A/250V

Accreditation:


Applicable materials: Nylon+CuZn

Rated Temperature : -45°C--105°C

Waterproof grade: IP20

Available with Cords:

- H05VV-F 3G0.75mm²
- H05VV-F 3G1.0mm²
- H05VV-F 3G1.5mm²
- H05RR-F 3G0.75mm²
- H05RR-F 3G1.0mm²
- H05RR-F 3G1.5mm²
- H05RN-F 3G0.75mm²
- H05RN-F 3G1.0mm²
- SVT 18AWG/3C
- SJT 18AWG/3C
- SJT 16AWG/3C
- SJT 14AWG/3C



Catalog No.: 5521/5525DC头、5521/5525音叉 (防水)

Standard : UL-817

Rated Current : 7A、10A、13A/125V

认证标准:

Available with Cords:

- 2464 22AWG×2C 7A/125V
- 2464 20AWG×2C 7A/125V
- 2464 18AWG×2C 10A/125V
- 2464 16AWG×2C 13A/125V
- 1185 22AWG×1C+S 7A/125V
- 1185 20AWG×1C+S 7A/125V
- 1185 18AWG×1C+S 10A/125V
- 1185 16AWG×1C+S 13A/125V



Catalog No.: GST 18i3 Plug (威琅连接器公座)

Rated Current : 20A/250V

Accreditation:


Applicable materials: Nylon+CuZn

Rated Temperature : -45°C--105°C

Waterproof grade: IP20

Available with Cords:

- H05VV-F 3G0.75mm²
- H05VV-F 3G1.0mm²
- H05VV-F 3G1.5mm²
- H05RR-F 3G0.75mm²
- H05RR-F 3G1.0mm²
- H05RR-F 3G1.5mm²
- H05RN-F 3G0.75mm²
- H05RN-F 3G1.0mm²
- SVT 18AWG/3C
- SJT 18AWG/3C
- SJT 16AWG/3C
- SJT 14AWG/3C



Catalog No.: 5521/5525DC母座、5521/5525音叉母座 (防水)

Standard : UL-817


Rated Current : 7A、10A、13A/125V

认证标准:


Available with Cords:

- 2464 22AWG×2C 7A/125V
- 2464 20AWG×2C 7A/125V
- 2464 18AWG×2C 10A/125V
- 2464 16AWG×2C 13A/125V
- 1185 22AWG×1C+S 7A/125V
- 1185 20AWG×1C+S 7A/125V
- 1185 18AWG×1C+S 10A/125V
- 1185 16AWG×1C+S 13A/125V

H03VVH2-F 2×0.75mm²



H05VV-F 2×0.75mm²





Norway
SEMKO AS



Denmark
SEMKO A/S



Finland
SGS FLMKO LTD



Italy
Istituto Italiano Marchio di Qualita



France
Union Technique de l'Electricite



United States
Underwriters Laboratories, Inc



China
China Quality Certific Center



Germany
VDE Pruf-und Zertifizierungsinstitut



Netherlands
KEMA Registered Quality Netherland B.V.



Belgium
CEBEC Registered Quality scrl



Switzerland
Eidgenossisches Starkstromispektorat



Austria
Osterreichischer Verband Fur Elektrotechnik



Sweden
SEMKO AB